
Valve Products







Inline has been supplying innovative valve solutions to the process industry for nearly twenty years. Our extensive line of ball valves is widely recognized for innovative design, reliable

performance and exceptional value. Inline valves are designed and tested to the industry's highest standards, supported by

knowledgeable and responsive technical sales professionals, and are usually available from stock from the large inventory we maintain for your just-in-time needs.





Innovation

Inline is committed to developing industry-leading process solutions. We introduced high-cycle ISO 5211 direct mount technology to the U.S. market — a design now used industry-wide. Innovations like this are a corner-stone of the Inline design philosophy. Our line of firesafe, control, multi-port and high purity ball valves carries on this tradition. Coupled with our custom engineered products, we provide system designers with more process control options than ever before.

Reliability

Inline designs, builds and tests valves to a wide range of national and international standards including ASME B16.34, BPE, 3-A, and NACE.




Our ISO 9001-2008 quality control process insures that the products we supply are tested and ready for service.



Inline is a licensed 3-A Symbol holder, is certified to use the CE marking for EU markets, and carries validated CRN numbers for Canada.

Consistent Performance



Inline valves provide long-lasting, trouble-free service with live-loaded, high-cycle stem seals standard on a wide range of high performance valves for high purity, high pressure, high temperature, cryogenic, vacuum,

and many other process applications. As a manufacturer,

we provide customers with these same high quality products year after year and, when it finally comes time to replace worn parts, we have

repair kits that fit.



Product Support

We stand behind our products with a responsive sales and technical support team ready to assist you with product information, pricing, valve selection and



automation. Detailed technical drawings and test reports are readily available for all of your system design and documentation needs. Current product information can be found on our website at **www.ballvalve.com**.

Product Index

Valves

Air Safety Exhaust Valve	.4	
Biopharmaceutical	.6	
Control Valve	.4	
Custom Fabrication	.4	
Direct Mount Actuation	.9	
Diverter & Multiport	.7	
Firesafe	.3	
General Service	.8	
High Alloy	.5	
High Pressure	.4	
High Purity	.6	
High Temperature	.4	
Industrial	. 3	
Instrumentation	.5	
Manual Actuation & Accessories	. 9	
Sanitary	.6	
Tank Bottom	. 6,	7
Tube Compression	.5	

Automation and Control

Pneumatic	10
Electric	10
Modulation and Control	10

For Detailed Product Information Please Visit www.ballvalve.com

Industrial



109S 1-Piece Flanged Ball Valve Standard Port 2" to 6" ANSI Class 150/300 A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% CF) Ends: RF Flg 150/300



209F 2-Piece Flanged Ball Valve Full Port 1/2" to 12" ANSI Class 150/300 A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% CF) Ends: RF Flg 150/300



302F 3-Piece Ball Valve Full Port 1/4" to 3" Up to 1000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% GF) Ends: NPT, BW Sch 5/10/40, SW, RF FIg 150/300, Grv, Compr, Tk Bottom



304F 3-Piece Ball Valve Full Port 1/4" to 4" Up to 1000 PSI CWP A351 Gr. CF8M, WCB (Ends Only) Seats: RTFE (15% CF) Ends: NPT, BW Sch 5/10/40, SW, RF Fig 150/300, Grv, Compr, Tk Bottom



334 3-Piece Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to ANSI Class 900 A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% CF) Ends: NPT, BW Sch 5/10/40/80, SW, Compr, Tk Bottom, Grv, RF Fig 150-900

Firesafe



364 Diverter Ball Valve Full / Standard Port 1/4" to 2-1/2" Up to ANSI Class 900 A351 Gr. CF8M Seats: TFM Ends: NPT, BW Sch 5/10/40/80, SW, Grv, Compr, RF Flg 150-900



505F 3/4/5-Way Ball Valve Full Port 1/4" to 4" Up to 1000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% CF) Ends: NPT, BW Sch 5/10/40,

SW, Grv



509F 3/4/5-Way Flanged Ball Valve Full Port 1/2" to 4" ANSI Class 150/300 A351 Gr. CF8M Seats: RTFE (15% CF)

RF Flg 150/300

Ends:

riiesaie



109S 1-Piece Flanged Firesafe Ball Valve

Standard Port 2" to 4" ANSI Class 150/300 A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% CF) Ends: RF Flg 150/300



344 3-Piece Firesafe Ball Valve Full / Standard Port 1/4" to 2-1/2"

1/4" to 2-1/2" Up to ANSI Class 900 A351 Gr. CF8M, A216 Gr. WCB Seats: TFM Ends: NPT, BW Sch 5/10/40/80, SW, Compr, Tk Bottom, Grv, RF Flg 150-900



344T 3-Piece Firesafe Ball Valve Tube Full Port 1/4" to 2" Up to ANSI Class 900 A351 Gr. CF8M Seats: TFM Ends: CL, Tube OD BW, Ext Tube OD BW, KF, Tk Bottom



346 3-Piece Firesafe Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to 4000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: Delrin AF Ends: NPT, SW, BW Sch 80, SAE, Compr, RF Flg 150-1500

3

Special Service

High Temperature



334/344 (Firesafe) 3-Piece Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to ANSI Class 900 A351 Gr. CF8M, A216 Gr. WCB Seats: Infill Ends: NPT, BW Sch 5/10/40/80, SW, Grv, Compr

Air Safety Exhaust Valve



336/346 (Firesafe) 3-Piece Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to 4000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: PEEK Ends: NPT, BW Sch 5/10/40/80, SW, Grv, Compr

High Pressure



336/346 (Firesafe) 3-Piece Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to 4000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: Delrin AF Ends: NPT, BW Sch 80, SW, SAE, Compr



336 HP 3-Piece Ball Valve Full / Standard Port 1/4" to 2-1/2" Up to ANSI Class 2500 A351 Gr CF8M A216 Gr W

A351 Gr. CF8M, A216 Gr. WCB Seats: Delrin AF Ends: NPT, BW Sch 80, SW, SAE, Compr



201F/202F - ASEV 2-Piece Ball Valve Full Port 1/4" to 2" 150 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% GF) Ends: NPT



204F - ASEV 2-Piece Ball Valve Full Port 1/4" to 2" 150 PSI CWP A351 Gr. CF8M Seats: RTFE (15% CF) Ends: NPT



302F - ASEV 3-Piece Ball Valve

Full Port 1/4" to 2" 150 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% GF) Ends: NPT, BW Sch 5/10/40, SW, Grv, Compr, RF Flg 150

Custom Fabrication



304F - ASEV 3-Piece Ball Valve

Full Port 1/4" to 2" 150 PSI CWP A351 Gr. CF8M Seats: RTFE (15% CF) Ends: NPT, BW Sch 5/10/40, SW, Grv, Compr, RF Flg 150

Control Valve



324/342 (Firesafe) 3-Piece Control Valve Full / Standard Port 1/4" to 2-1/2" Up to ΔP to 300 PSI Saturated Steam 500 PSI Liquid A351 Gr. CF8M, A216 Gr. WCB Seats: Infill x 30°, 60°, 1/8" Slotted Ends: NPT, BW Sch 5/10/40/80, SW, Grv, Compr, RF Flg 150/300



327F/342T (Firesafe) 3-Piece Control Valve Tube Full Port 1/2" to 2" Up to ΔP to 300 PSI Saturated Steam 500 PSI Liquid A351 Gr. CF8M, A216 Gr. WCB Seats: TFM x30°, 60°, 1/8" Slotted Ends: CL, Tube OD BW, Ext Tube OD BW, Compr, Tk Bottom, KF



- Clean-In-Place
- Double Block and Bleed
- Manifolds
- Special End Connections
- Steam-Jackets
- Stem Extensions



Special Service Cont'd

Tube Compression/Instrumentation



302C 3-Piece Ball Valve Full Port

1/4" to 1" Up to 1000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% GF) Ends: Compression



304C 3-Piece Ball Valve Full Port 1/4" to 1" Up to 1000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% CF) Ends: Compression



317C 3-Piece Ball Valve Tube Full Port 1/4" to 1" Up to 1000 PSI CWP A351 Gr. CF8M Seats: PTFE Ends: Compression



334C/344C (Firesafe) 3-Piece Ball Valve

Standard Port 1/4" to 1" Up to ANSI Class 900 A351 Gr. CF8M Seats: RTFE (15% CF) Ends: Compression



336C/346C (Firesafe) 3-Piece Ball Valve

Standard Port 1/4" to 1" Up to ANSI Class 1500 A351 Gr. CF8M Seats: Delrin AF Ends: Compression



337C 3-Piece Ball Valve Tube Full Port 1/4" to 1" Up to 1000 PSI CWP A351 Gr. CF3M Seats: TFM Ends: Compression



364C Multi-Port Ball Valve Standard Port 1/4" to 1" Up to ANSI Class 900 A351 Gr. CF8M Seats: TFM Ends: Compression

High Alloy



507C Multi-Port Ball Valve Full Port 1/4" to 1" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM Ends: Compression



104R 1-Piece Ball Valve Reduced Port 1/4"x1/4" to 1/2"x1/2" 800 PSI CWP A351 Gr. CF8M

Ends: FNPT x MNPT

Seats: PTFE



908 Needle Valve

1/4" to 1" Up to 6000 PSI CWP 316SS, Carbon Steel Ends: NPT



289F 2-Piece High Alloy Ball Valve Full Port 1/2" to 12" ANSI Class 150/300 Alloy-C (CW12MW), Alloy 20, 254 SMO Seats: TFM Ends: RF Fig 150/300



384 3-Piece High Alloy Ball Valve Full / Standard Port 1/4" to 2-1/2" Up to 2000 PSI CWP Alloy-C (CW12MW), Alloy 20, 254 SMO Seats: TFM Ends: NPT, SW

Special Service Cont'd

Biopharmaceutical / High Purity / Sanitary



307F 3-Piece Ball Valve Tube Full Port 1/2" to 4" Up to 1000 PSI CWP A351 Gr. CF8M Seats: PTFE Ends: CL, Tube OD BW, Ext Tube OD BW, I-Line, Compr



367F 3-Piece Diverter Ball Valve Tube Full Port 1/2" to 2" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM Ends: CL, Tube OD BW, Ext Tube OD BW, Compr



317F 3-Piece Ball Valve Tube Full Port 1/4" to 6" Up to 1000 PSI CWP A351 Gr. CF8M Seats: PTFE Ends: CL, Tube OD BW, Ext Tube OD BW, I-Line, Compr, Tk Bottom, KF



334T/344T (Firesafe)

3-Piece Ball Valve

Up to 3600 PSI CWP

TFM

CL, Tube OD BW,

Tk Bottom, KF

Ext Tube OD BW, Compr,

Tube Full Port

A351 Gr. CF8M

1/4" to 2"

Seats:

Ends:

507F

Full Port

1/2" to 4"

Seats:

Ends:

3/4/5-Way Ball Valve

Up to 1000 PSI CWP

TFM

Compr

CL, Tube OD BW.

Ext Tube OD BW,

A351 Gr. CF8M

377F 3-Piece Ball Valve Tube Full Port 2", 3", 4" Up to 300 PSI CWP A351 Gr. CF8M Seats: PTFE Ends: CL, Tube OD BW

Tank Bottom



717F Sanitary Butterfly Valve Tube Full Port 1" to 6" Up to 150 PSI CWP A351 Gr. CF8M Seats: Silicone, Viton, EPDM Ends: CL, Tube OD BW, I-Line, Bevel Seat Thread



302F 3-Piece Ball Valve Full Port 1" to 3" Up to 1000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% GF) Ends: Tk Bottom x NPT, BW Sch 5/10/40, SW, RF Flg 150/300, Grv, Compr



304F 3-Piece Ball Valve Full Port 1" to 4" Up to 1000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% CF) Ends: Tk Bottom x NPT, BW Sch 5/10/40, SW, RF Flg 150/300, Grv, Compr



337F 3-Piece Ball Valve

Tube Full Port 1/4" to 4" Up to 1000 PSI CWP A351 Gr. CF3M Seats: TFM Ends: CL, Tube OD BW, Ext Tube OD BW, Compr, Tk Bottom, KF



707F Sanitary Butterfly Valve Tube Full Port 1" to 4" Up to 150 PSI CWP A351 Gr. CF8 Seats: Silicone, Viton, EPDM Ends: CL, Tube OD BW, I-Line, Bevel Seat Thread



317F 3-Piece Ball Valve

Tube Full Port 1" to 6" Up to 1000 PSI CWP A351 Gr. CF8M Seats: PTFE Ends: Tk Bottom x CL, Tube OD BW, Ext Tube OD BW, I-Line, Compr, RF Flg 150/300, KF

Special Service Cont'd

Tank Bottom Cont'd



334T/344T (Firesafe) 3-Piece Ball Valve

Tube Full Port 1" to 2" Up to ANSI Class 900 A351 Gr. CF8M Seats: TFM Ends: Tk Bottom x CL, Tube OD BW, Ext Tube OD BW, Compr, RF Flg 150-900, KF



334/344 (Firesafe) 3-Piece Ball Valve

Full / Standard Port 1", 1-1/2", 2" Up to ANSI Class 900 A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% CF) Ends: Tk Bottom x NPT, BW Sch 5/10/40, SW, Grv, Compr, RF Flg 150-900



337F 3-Piece Ball Valve

Tube Full Port 1" to 4" Up to 1000 PSI CWP A351 Gr. CF3M Seats: TFM Ends: Tk Bottom x CL, Tube OD BW, Ext Tube OD BW, I-Line, Compr, NPT, RF Flg 150/300, KF





364 3-Piece Diverter Ball Valve Full / Standard Port 1/4" to 2-1/2" Up to Class 900 A351 Gr. CF8M Seats: RTFE (15% CF) Ends: NPT, BW Sch 5/10/40/80, SW, RF Flg 150-900, Grv, Compr



367F 3-Piece Diverter Ball Valve Tube Full Port 1/2" to 2" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM Ends: CL, Tube OD BW, Ext Tube OD BW, Compr, I-Line



502S Diverter Ball Valve Standard Port 1/2" to 2" Up to 1000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% GF) Ends: NPT



503 3-Way Ball Valve Full / Standard Port 1/4" to 2" Up to 1000 PSI CWP A351 Gr. CF8M

Seats: RTFE (15% CF)

NPT

Ends:



505F 3/4/5-Way Ball Valve Full Port 1/4" to 4" Up to 1000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% CF) Ends: NPT, BW Sch 5/10/40, SW, Grv



507F 3/4/5-Way Ball Valve Full Port 1/2" to 4" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM Ends: CL, Tube OD BW, Ext Tube OD BW, Compr



509F 3/4/5-Way Flanged Ball Valve Full Port 1/2" to 6" ANSI Class 150/300 A351 Gr. CF8M (316) Seats: RTFE (15% CF) Ends: RF Flg 150/300



514 3-Way Ball Valve Full / Standard Port 1/4" to 2" Up to 1000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% CF) Ends: NPT

General Service



101R 1-Piece Ball Valve Reduced Port

1/4" to 2" 800 PSI CWP A351 Gr. CF8M (316) Seats: PTFE Ends: NPT



102R 1-Piece Ball Valve Reduced Port

1/4" to 2" 2000 PSI CWP A351 Gr. CF8M (316) Seats: RTFE (15% GF) Ends: NPT



103R 1-Piece Ball Valve Reduced Port

1/4" to 2" 2000 PSI CWP S25C - CS Seats: RTFE (15% GF) Ends: NPT



104R 1-Piece Ball Valve Reduced Port 1/4" x 1/4" to 1/2" x 1/2" 800 PSI CWP A351 Gr. CF8M Seats: PTFE

Ends: FNPT x MNPT



201F 2-Piece Ball Valve Full Port 1/4" to 3" Up to 2000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% CF) Ends: NPT



201S 2-Piece Ball Valve Standard Port 1/4" to 2" Up to 2000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% GF) Ends: NPT



202F 2-Piece Ball Valve Full Port 1/4" to 2" Up to 1000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% GF) Ends: NPT



302F 3-Piece Ball Valve Full Port 1/4" to 3" Up to 1000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% GF) Ends: NPT, BW Sch 5/10/40, SW, RF Flg 150/300, Grv, Compr, Tk Bottom



904/906 Y-Strainer / Swing Check Valve 1/2" to 2" 600 PSI CWP (904) 200 PSI CWP (906) A351 Gr. CF8 Ends: NPT



905/907 Gate Valve / Globe Valve 1/2" to 2"

200 PSI CWP A351 Gr. CF8M Ends: NPT

Available Seat Materials

- 15% Carbon Filled PTFE
- Delrin[®]AF (PTFE Filled Acetal Homopolymer)
- 50% 316SS Filled PTFE
- TFM (Modified PTFE)
- PTFE and Carbon Filled
- PEEK
- Vespel[®]

Seat Options

- Cavity Fillers
- 1-Piece Seat/Seal
- Metal

8

• 15% Glass Filled PTFE

Infill (Proprietary Filled)

PTFE)

• UHMWPE

• PTFE

PCTFE

- - Control Seats

Direct Mount Actuation



204F 2-Piece Ball Valve Full Port 1/4" to 3" Up to 1000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% CF) Ends: NPT



 304F

 3-Piece Ball Valve

 Full Port

 1/4" to 4"

 Up to 1000 PSI CWP

 A351 Gr. CF8M, WCB (Ends Only)

 Seats:
 RTFE (15% CF)

 Ends:
 NPT, BW Sch 5/10/40, SW, RF Flg 150/300, Grv, Compr, Tk Bottom



334/344 (Firesafe) 3-Piece Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to Class 900 A351 Gr. CF8M, A216 Gr. WCB Seats: RTFE (15% CF) Ends: NPT, BW Sch 5/10/40/80, SW, Compr, Tk Bottom, Grv, RF Flg 150-900



334T/344T (Firesafe) 3-Piece Ball Valve

Tube Full Port 1/2" to 2" Up to ANSI Class 900 A351 Gr. CF8M Seats: TFM Ends: CL, Tube OD BW, Ext Tube OD BW, I-Line, Tk Bottom, Compr, KF



337F 3-Piece Ball Valve Tube Full Port 1/4" to 4" Up to 1000 PSI CWP A351 Gr. CF3M Seats: TFM Seats: CI. Tube OD PW

A351 Gr. CF3M Seats: TFM Ends: CL, Tube OD BW, Ext Tube OD BW, Compr, Tk Bottom, KF



364 Diverter Ball Valve Full / Standard Port 1/4" to 2-1/2" Up to Class 900 A351 Gr. CF8M Seats: RTFE (15% CF) Ends: NPT, BW Sch 5/10/40/80, SW, Grv, Compr, RF Flg 150-900



367F 3-Piece Diverter Ball Valve Tube Full Port 1/2" to 2" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM Seats: CIL Tube OD PW

Seats: IFM Ends: CL, Tube OD BW Ext Tube OD BW, Compr



384 3-Piece High Alloy Ball Valve Full / Standard Port 1/4" to 2-1/2" Class 900 Alloy-C, Alloy 20, 254 SMO Seats: TFM

NPT, SW

Ends:

Manual Actuation & Accessories



514 3-Way Ball Valve Full / Standard Port 1/4" to 2" Up to 1000 PSI CWP A351 Gr. CF8M (316) Seats: RTFE (15% CF) Ends: NPT



Spring Return & Oval Handle



Gear Operator



Limit Switch

Automation and Control

Pneumatic




- Design : 2- and 4-Piston Rack & Pinion, Sanitary (Butterfly Valve)
- Type : Double Acting and Spring Return
- Torque Range : Outputs to over 36,000 in/lbs
- Mounting : ISO 5211 and NAMUR
- Construction : Hard Anodized Aluminum, Stainless Steel
- Options/Accessories : Epoxy Coating, Nickel Plating, Stem Extensions, Mounting Kits, Limit Switches, Proximity Switches, Visual Indicators, Solenoid Valves, Positioners, Fusible Links

Electric



- Torque Range : Outputs to 5,735 in/lbs
- Voltage : 12V AC/DC, 24V AC/DC, 110V AC, 220V AC, 1- or 3-Phase
- Duty Cycle : 25%, 75%, and 100%
- Modulating Signals : Input 4-20mA Output 4-20mA
 1-5V 2-10V
 2-10V
- Enclosure : NEMA 4/4X, 7
- Options/Accessories : Stem Extensions, Mounting Kits, Heaters, Modulating Control Boards, Additional Switches, Thermostats, Spring Return

Modulation and Control



Inline stocks an extensive inventory of valves, actuators, and accessories.

For product information and pricing Email: info@ballvalve.com Phone: 800-568-8998



Quality and Reliability - Every Time



INLINE INDUSTRIES, INC.

9056 Garvey Avenue Rosemead, CA 91770 Tel: (800) 568-8998 (626) 813-6188 Fax: (626) 813-6186 www.ballvalve.com info@ballvalve.com Distributed by: